

References

- Alfaro, S. C., L. Gomes, J. L. Rajot, S. Lafon, A. Gaudichet, B. Chatenet, M Maille, G. Cautenet, F. Lasserre, H. Cachier, and X. Y. Zhang, Chemical and optical characterization of aerosols measured in spring 2002 at the ACE-Asia supersite, Zhenbeitai, China, *J. Geophys. Res.*, 108(D23), 8641, doi:10.1029/2002JD003214, 2003.
- Anderson, T. L., R. J. Charlson, W. H. White, and P. H. McMurry, Comment on: light scattering and cloud condensation nucleus activity of sulfate aerosol measured over the northeast Atlantic Ocean, *J. Geophys. Res.*, 99, 25947-25949, 1994.
- Andrews, E., and S. M. Larson, Effect of surfactant layers on the size changes of aerosol particles as a function of relative humidity, *Environ. Sci. Technol.*, 27, 857-865, 1993.
- Andrews, E., P. Saxena, S. Musarra, L. M. Hildemann, P. Koutrakis, P. H. McMurry, I. Olmez, W. H. White, Concentration and composition of atmospheric aerosols from the 1995 SEAVS experiment and a review of the closure between chemical and gravimetric measurements, *J. Air & Waste Manage. Assoc.*, 50, 648-664, May 2000.
- Arnott, W. P., H. Moosmuller, P. J. Sheridan, J. A. Ogren, R. Raspet, W. V. Slaton, J. L. Hand, S. M. Kreidenweis, and J. L. Collett, Jr., Photoacoustic and filter-based ambient aerosol light absorption measurements: Instrument comparisons and the role of relative humidity", *J. Geophys. Res.*, 108(D1), 4034, doi:10.1029/2002JD002165, 2003.
- Ashbaugh, L. L., C. E. Mcdade, W. H. White, P. Wakabayashi, J. L. Collett, Jr., and X.-Y. Yu, Efficiency of IMPROVE network denuders for removing nitric acid, Paper # 32, A&WMA Specialty conference: Regional and Global Perspectives on Haze: Causes, Consequences and Controversies, Asheville, NC, October 25-29, 2004.
- Ashbaugh, L. L., and R. A. Eldred, Loss of particle nitrate from Teflon sampling filters: Effects on measured gravimetric mass in California and in the IMPROVE network, *J. Air & Waste Manage. Assoc.*, 54, 93-104, Jan 2004.
- Bohren, C. F. and D. R. Huffman, *Absorption and Scattering of Light by Small Particles*, Wiley Interscience, New York, 1983
- Brooks, S. D., P. J. DeMott, and S. M. Kreidenweis, Water uptake by particles containing humic materials and mixtures of humic materials with ammonium sulfate, *Atmos. Environ.*, 38, 1859-1868, 2004.
- Busch, B., C. Sprengard-Eichel, K. Kandler, and L. Schütz, Hygroscopic properties and water soluble fraction of atmospheric particles in the diameter range from 50 nm to 3.8 µm during the Aerosol Characterization Experiment in Lindenberg 1998, *J. Aerosol Sci.*, 30(S1), S513-S514, 1999.

- Carrico, C. M., M. J. Rood, J. A. Ogren, C. Neusüß, A. Wiedensohler, and J. Heintzenberg, Aerosol optical properties at Sagres, Portugal during ACE-2, *Tellus*, 52B, 694-715, 2000.
- Carrico, C. M., M. H. Bergin, J. Xu, K. Baumann, and H. Maring, Urban aerosol radiative properties: Measurements during the 1999 Atlanta Supersite Experiment, *J. Geophys. Res.*, 108(D7), 8422, doi:10.1029/2001JD001222, 2003.
- Carrico, C. M., S. M. Kreidenweis, W. C. Malm, D. E. Day, T. Lee, J. Carrillo, G. R. McMeeking, and J. L. Collett, Jr., Hygroscopic growth behavior of a carbon-dominated aerosol in Yosemite National Park, *Atmos. Environ.*, 39, 1393-1404, 2005.
- Chan, M.-N., and C. K. Chan, Hygroscopic properties of two model humic-like substances and their mixtures with inorganics of atmospheric importance, *Environ. Sci. Technol.*, 37, 5109-5115, 2003.
- Chen, L.-W. A., J. C. Chow, B. G. Doddridge, R. R. Dickerson, W. F. Ryan, and P. K. Mueller, Analysis of a summertime PM_{2.5} and haze episode in the Mid-Atlantic region, *J. Air & Waste Manage. Assoc.*, 53, 946-956, Aug 2003.
- Chiapello, I., G. Bergametti, B. Chatenet, F. Dulac, I. Jankowiak, C. Liousse, and E. Santos Soares, Contribution of the different aerosol species to the aerosol mass load and optical depth over the northeastern tropical Atlantic, *J. Geophys. Res.*, 104(D4), 4025-4035, 1999.
- Chow, J. C., J. G. Watson, L. C. Pritchett, W. R. Pierson, C. A. Frazier, and R. G. Purcell, The DRI thermal/optical reflectance carbon analysis system: Description, evaluation and applications in U.S. air quality studies, *Atmos. Env.*, 27A(8), 1185-1201, 1993.
- Chow, J. C., J. G. Watson, D. H. Lowenthal, and L. W. Richards, Comparability between PM_{2.5} and particle light scattering measurements, *Environ. Mon. Assess.* 79, 29-45, 2002.
- Chu, S.-H., PM_{2.5} episodes as observed in the speciation trends network, *Atmos. Environ.*, 38, 5237-5246, 2004.
- Clegg S.L., P. Brimblecombe, and A.S. Wexler, A thermodynamic model of the system H+-NH4+-SO42--NO3--H2O at tropospheric temperatures, *J. of Phys. Chem.* 102A, 2137-2154, 1998a.
- Clegg S.L., P. Brimblecombe, and A.S. Wexler, A thermodynamic model of the system H+-NH4+-Na+-SO42--NO3--Cl--H2O at 298.15 K, *J. of Phys. Chem.* 102A, 2155-2171, 1998b.

Cocker, D. R., N. E. Whitlock, R. C. Flagan, and J. H. Seinfeld, Hygroscopic properties of Pasadena, California aerosol, *Aerosol Sci. Technol.*, 35, 637-647, 2001.

Countess, R. J., G. T. Wolff, and S. H. Cadle, The Denver winter aerosol: A comprehensive chemical characterization, *J. Air Pollution Control Assoc.*, 30, 1194-1200, 1980.

Day, D. E., W. C. Malm, and S. M. Kreidenweis, Seasonal variations in aerosol composition and acidity at Shenandoah and Great Smoky Mountains National Park, *J. Air & Waste Manage. Assoc.*, 47, 411-418, March 1997.

Day, D. E., W. C. Malm, and S. M. Kreidenweis, Aerosol light scattering measurements as a function of relative humidity, *J. Air & Waste Manage. Assoc.*, 50, 710-716, May 2000.

Day, D. E. and W. C. Malm, Aerosol light scattering measurements as a function of relative humidity: a comparison between measurements made at three different sites, *Atmos. Environ.*, 35, 5169-5176, 2001.

Day, D. E., W. C. Malm, and C. Carrico, Optical and chemical properties of fresh smoke aerosol from several forest fire fuels, *In preparation for submission to Atmos. Environ.*, 2005.

Dixon, J. K, The absorption coefficient of nitrogen dioxide in the visible spectrum, *J. Chem. Phys.*, 8(2), 157-160, 1940.

Eldering, A., J. A. Ogren, Z. Chowdhury, L. S. Hughes, and G. R. Cass, Aerosol optical properties during INDOEX based on measured aerosol particle size and composition, *J. Geophys. Res.*, 107(D22), 8001, doi:10.1029/2001JD001572, 2002.

El-Zanan, H. S., D. H. Lowenthal, B. Zielinska, J. C. Chow, and N. Kumar, Determination of the organic aerosol mass to organic carbon ratio in IMPROVE samples, *Chemosphere*, In Press, 2005.

Ferron, G. A., E. Karg, B. Busch, and J. Heyder, Hygroscopicity of ambient particles, *J. Aerosol Sci.* 30(S1), S19-S20, 1999

Formenti P., W. Elbert, W. Maenhaut, J. Haywood, S. Osborne, and M. O. Andreae, Inorganic and carbonaceous aerosols during the South African Regional Science Initiative (SAFARI 2000) experiment: Chemical characteristics, physical properties, and emission data for smoke from African biomass burning, *J. Geophys. Res.*, 108(D13), 8488, doi:10.1029/2002JD002408, 2003.

Fuller K.A., W. C. Malm, S. M. Kreidenweis, Effects of mixing on extinction by carbonaceous particles, *J. Geophys. Res.*, 104, 15941-15954, 1999.

Gebhart, K. A., W. C. Malm, and D. E. Day, Examination of the effects of sulfate acidity and relative humidity on light scattering at Shenandoah National Park, *Atmos. Environ.*, 28(5), 841-849, 1994.

Gelencsér, A., A. Hoffer, A. Molnár, Z. Krivácsy, Gy. Kiss, E. Mészáros, Thermal behaviour of carbonaceous aerosol from a continental background site, *Atmos. Env.* 34, 823-831, 2000.

Grosjean, D., and S. K. Friedlander, Gas-particle distribution factors for organics and other pollutants in the Los Angeles atmosphere, *J. Air Pollution Control Assoc.*, 25, 1038-1044, 1975.

Guyon, P., B. Graham, G. C. Roberts, O. L. Mayol-Bracero, W. Maenhaut, P. Artaxo, and M. O. Andreae, In-canopy gradients, composition, sources, and optical properties of aerosol over the Amazon forest, *J. Geophys. Res.*, 108(D18), 4591, doi:10.1029/2003JD003465, 2003.

Gysel, M., E. Weingartner, S. Nyeki, D. Paulsen, U. Baltensperger, I. Galambos, and G. Kiss, Hygroscopic properties of water-soluble matter and humic-like organics in atmospheric fine aerosol, *Atmos. Chem. Phys.*, 4, 35-50, 2004.

Hand, J. L., R. B. Ames, S. M. Kreidenweis, D. E. Day and W. C. Malm, Estimates of particle hygroscopicity during the Southeastern Aerosol and Visibility Study, *J. Air & Waste Manage. Assoc.*, 50, 677-685, May 2000.

Hand, J. L., A new technique for obtaining aerosol size distributions with applications to estimates of aerosol properties, Ph.D. Dissertation, Colorado State University, 2001.

Hand, J. L., S. M. Kreidenweis, D. E. Sherman, J. L. Collett, Jr., S. V. Hering, D. E. Day, W. C. Malm, Aerosol size distributions and visibility estimates during the Big Bend Regional Aerosol Visibility and Observational Study (BRAVO). *Atmos. Environ.*, 36, 5043-5055, 2002.

Hand, J. L., N. M. Mahowald, Y. Chen, R. L. Siefert, C. Luo, A. Subramaniam, and I. Fung, Estimates of atmospheric-processed soluble iron from observations and a global mineral aerosol model: Biogeochemical implications, *J. Geophys. Res.*, 109, D17205, doi:10.1029/2004JD004574, 2004.

Hand J.L., W. C. Malm, D. E. Day, T. Lee, C. Carrico, J. Carrillo, J. L. Collett, Jr., A. Laskin, C. Wang, J. P. Cowin, M. J. Iedema, Optical, physical and chemical properties of tar balls during the Yosemite Aerosol Characterization Study, *J. Geophys. Res., in review*, 2005.

Hansson, H.-C., M. J. Rood, S. Koloutsou-Vakakis, K. Hämeri, D. Orsini, and A. Wiedensholer, NaCl aerosol particle hygroscopicity dependence on mixing with organic compounds, *J. Atmos. Chem.*, 31, 321-346, 1998.

- Hasan, H. and T. G. Dzubay, Apportioning light extinction coefficients to chemical species in the atmospheric aerosol, *Atmos. Environ.*, 17, 1573-1581, 1983.
- Hering, S. and G. Cass, The magnitude of bias in the measurement of PM_{2.5} arising from volatilization of particulate nitrate from Teflon filters, *J. Air & Waste Manage. Assoc.*, 49, 725-733, June 1999.
- Hodkinson, J. R., Calculations of color and visibility in urban atmospheres polluted by gaseous NO₂, *Air Water Pollut.*, 10(2), 137-144, 1966.
- Hogrefe O., J. J. Schwab, F. Drewnick, G. G. Lala, S. Peters, K. J. Demerjian, K. Rhoads, H. D. Felton, O. V. Rattigan, L. Husain, and V. A. Dutkiewicz, Semicontinuous PM_{2.5} sulfate and nitrate measurements at an urban and rural location in New York: PMTACS-NY summer 2001 and 2002 campaigns, *J. Air & Waste Manage. Assoc.*, 54, 1040—1060, Sept 2004.
- Huebert, B. J. and R. J. Charlson, Uncertainties in data on organic aerosols, *Tellus*, 52B(5), 1249-1255, 2000.
- Im, J.-S., V. K. Saxena, and B. N. Wenny, An assessment of hygroscopic growth factors for aerosols in the surface boundary layer for computing direct radiative forcing, *J. Geophys. Res.*, 106(D17), 20213-20224, 2001
- Jaffe, D., S. Tamura, and J. Harris, Seasonal cycle and composition of background fine particles long the west coast of the US, *Atmos. Environ.*, 39, 297-306, 2005.
- Jaffe, D., J. Snow, and O. Cooper, The April 2001 Asian dust events: transport and substantial impact on surface particulate matter concentrations across the United States, *EOS transactions*, November 18, 2003.
- Japar, S. M., A. C. Szkarlat, R. A. Gorse, Jr., E. K. Heyerdahl, R. L. Johnson, J. A. Rau, and J. J. Huntzicker, Comparison of solvent extraction and thermal optical carbon analysis methods: Application to diesel vehicle exhaust aerosol, *Environ. Sci. Technol.*, 18, 231-234, 1984.
- Kim, Y. P., J. H. Seinfeld, P. Saxena, Atmospheric gas-aerosol equilibrium 2. Analysis of common approximations and activity-coefficient calculation methods, *Aerosol Sci. Technol.*, 19(2), 182-198, 1993.
- Koloutsou-Vakakis, S., C. M. Carrico, P. Kus, M. J. Rood, Z. Li, R. Shrestha, J. A. Ogren, J. C. Chow, and J. G. Watson, Aerosol properties at a midlatitude Northern Hemisphere continental site, *J. Geophys. Res.*, 106(D3), 3019-3032, 2001.
- Kreisberg, N. M., M. R. Stolzenburg, S. V. Hering, W. D. Dick, and P. H. McMurry, A new method for measuring the dependence of particle size distributions on relative

humidity, with the application to the Southeastern Aerosol and Visibility Study, *J. Geophys. Res.*, 106(D14), 14935-14949, 2001.

Lee, T., S. M. Kreidenweis, and J. L. Collett, Jr., Aerosol ion characteristics during the Big Bend Regional Aerosol and Visibility Observational Study, *J. Air & Waste Manage. Assoc.*, 54, 585-592, May 2004a.

Lee, T., X-Y. Yu, B. Ayres, J. Carrillo, C. Carrico, P. Herckes, G. R. McMeeking, G. Engling, S. M. Kreidenweis, J. L. Collett, Jr., D. E. Day, and W. C. Malm, Characteristics of aerosol nitrate at several IMPROVE monitoring sites, Paper # 38, A&WMA Specialty conference: Regional and Global Perspectives on Haze: Causes, Consequences and Controversies, Asheville, NC, October 25-29, 2004b.

Lefer, B. L., and R. W. Talbot, Summertime measurements of aerosol nitrate and ammonium at a northeastern U.S. site, *J. Geophys. Res.*, 106(D17), 20365-20378, 2001.

Li, X., H. Maring, D. Savoie, K. Voss, and J. M. Prospero, Dominance of mineral dust in aerosol light-scattering in the North Atlantic trade winds", *Nature*, 380, 416 – 419, 1996.

Lightstone, J. M., T. B. Onasch, D. Imre, and S. Oatis, Deliquescence, efflorescence, and water activity in ammonium nitrate and mixed ammonium nitrate/succinic acid microparticles, *J. Phys. Chem. A.*, 104, 9337-9346, 2000.

Li, S-M., J. Tang, H. Xue, and D. Toom-Sauntry, Size distribution and estimated optical properties of carbonate, water soluble organic carbon, and sulfate in aerosols at a remote high altitude site in western China", *Geophys. Res. Letts.*, 27(8), 1107-1110, 2000.

Liu L.-J. S., R. Burton, W. E. Wilson, and P. Koutrakis, Comparison of aerosol acidity in urban and semi-rural environments, *Atmos. Environ.*, 30(8), 1237-1245, 1996.

Lowenthal, D. H., C. F. Rogers, P. Saxena, J. G. Watson, and J. C. Chow, Sensitivity of estimated light extinction coefficients to model assumptions and measurement errors, *Atmos. Environ.*, 29, 751-766, 1995.

Lowenthal, D. H., J. G. Watson, P. Saxena, Contributions to light extinction during project MOHAVE, *Atmos. Environ.*, 34, 2351-2359, 2000.

Lowenthal, D. H., and N. Kumar, PM_{2.5} and light extinction reconstruction in IMPROVE, *J. Air & Waste Manage. Assoc.*, 53, 1109-1120, Sept 2003.

Lowenthal, D. H., and N. Kumar, Variation of mass scattering efficiencies in IMPROVE, *J. Air & Waste Manage. Assoc.*, 54, 926-934, Aug 2004.

Lowenthal, D. H., and N. Kumar, Light scattering from sea salt aerosols in IMPROVE,
Prepared for submission to J. Air & Waste Manage. Assoc., 2005.

Malm, W. C. and D. E. Day, Optical properties of aerosols at Grand Canyon National Park, *Atmos. Environ.*, 34, 3373-3391, 2000.

Malm W.C. and D. E. Day, Estimates of aerosol species scattering characteristics as a function of relative humidity, *Atmos. Environ.*, 35, 2845-2860, 2001.

Malm, W. C., J. F. Sisler, D. Huffman, R. A. Eldred, and T. A. Cahill, Spatial and seasonal trends in particle concentration and optical extinction in the United States, *J. Geophys. Res.*, 99(D1), 1347-1370, 1994a.

Malm, W. C., K. A. Gebhart, J. Molenar, T. Cahill, R. Eldred, and D. Huffman, Examining the relationship between atmospheric aerosols and light extinction at Mount Rainier and North Cascades National Parks, *Atmos. Environ.*, 28(2), 347-360, 1994b.

Malm, W. C. and S. M. Kreidenweis, The effects of models of aerosol hygroscopicity on the apportionment of extinction, *Atmos. Environ.*, 31(13), 1965-1976, 1997.

Malm W. C. and M. Pitchford, Comparison of calculated sulfate scattering efficiencies as estimated from size-resolved particle measurements at three national locations", *Atmospheric Environment*, 31(9), 1315-1325, 1997

Malm, W. C., D. E. Day, and S. M. Kreidenweis, Light scattering characteristics of aerosols as a function of relative humidity: Part 1- A comparison of measured scattering and aerosol concentrations using the theoretical models", *Journal of the Air and Waste Management Assoc.*, 50: 686-700, 2000

Malm W.C., D. E. Day, S. M. Kreidenweis, J. L. Collett, Jr., T. Lee, T., Humidity dependent optical properties of fine particles during the Big Bend Regional Aerosol and Visibility Observational study (BRAVO), *J. Geophys. Res.* 108(D9), 4279, doi:10.1029/2002JD002998, 2003.

Malm W.C., D. E. Day, C. Carrico, S. M. Kreidenweis, J. L. Collett, Jr., G. McMeeking, T. Lee, J. Carrillo, Inter-comparison and closure calculations using measurements of aerosol species and optical properties during the Yosemite Aerosol Characterization Study, *J. Geophys. Res.*, accepted for publication, 2005a.

Malm, W. C., D. E. Day, S. M. Kreidenweis, J. L. Collett, Jr., C. Carrico, G. McMeeking, and T. Lee, Hygroscopic properties of organic-laden aerosol, *Atmos. Environ.*, accepted for publication, 2005b.

Mayol-Bracero, O. L., P. Guyon, B. Graham, G. Roberts, M. O. Andreae, S. Desesari, M. C. Facchini, S. Fuzzi, and P. Artaxo, Water-soluble organic compounds in biomass burning aerosols over Amazonia 2. Apportionment of the chemical composition and

importance of the polyacidic fraction, *J. Geophys. Res.*, 107(D20), 8091, doi:10.1029/2001JD000522, 2002.

McDade, C. E., R. A. Eldred, and L. L. Ashbaugh, Artifact corrections in IMPROVE, Paper # 15, A&WMA Specialty conference: Regional and Global Perspectives on Haze: Causes, Consequences and Controversies, Asheville, NC, October 25-29, 2004.

McMeeking G.R., S. M. Kreidenweis, C. Carrico, T. Lee, J. L. Collett, Jr., W. C. Malm, Observations of smoke-influenced aerosol during the Yosemite Aerosol Characterization Study: Size distributions and chemical composition, *J. Geophys. Res.*, 110, D09206, doi:10.1029/2004JD005389, 2005.

McMurry, P. H., X. Zhang, and C.-T. Lee, Issues in aerosol measurements for optics assessment, *J. Geophys. Res.*, 101, 19189-19197, 1996.

Mie, G., Beitraege zur optic trueber medien, speziell kolloidaler metallosungen, *Ann. Physik*, 25, 377-445, 1908.

Mikhailov, E., S. Vlasenko, R. Niesner, and U. Pöschl, Interaction of aerosol particles composed of protein and salts with water vapor: hygroscopic growth and microstructural rearrangement, *Atmos. Chem. Phys.*, 4, 323-350, 2004.

Nenes A., S. N. Pandis, C. Pilinis, ISORROPIA: A new thermodynamic equilibrium model for multiphase multicomponent inorganic aerosols, *Aqua. Geochem.* 4, 123-152, 1998.

Novakov, T. and C. E. Corrigan, Thermal characterization of biomass smoke particles, *Mikrochim. Acta*. 119, 157-166, 1995.

Omar, A. H., S. Biegalski, S. M. Larson, S. Landsberger, Particulate contributions to light extinction and local forcing at a rural Illinois site, *Atmos. Environ.*, 33, 2637-2646, 1999.

Peng, C., M.-N., Chan, and C. K. Chan, The hygroscopic properties of dicarboxylic and multifunctional acids: Measurements and UNIFAC predictions, *Environ. Sci. Technol.*, 35, 4495-4501, 2001.

Penner, J. E., R. J. Charlson, J. M. Hales, N. Laulainen, R. Leifer, T. Novakov, J. Ogren, L. F. Radke, S. E. Schwarz, and L. Travis, Quantifying and minimizing uncertainty of climate forcing by anthropogenic aerosols, *Bull. Am. Met. Soc.*, 75, 375-400, 1993.

Perry, K. D., T. A. Cahill, R. A. Eldred, and D. D. Dutcher, Long-range transport of North African dust to the eastern United States, *J. Geophys. Res.*, 102(D10), 11225-11238, 1997.

Pilinis, C., S. N. Pandis, and J. H. Seinfeld, Sensitivity of direct climate forcing by atmospheric aerosols to aerosol size and composition, *J. Geophys. Res.*, 100, 18739-18754, 1995.

Poirot, R. L. and R. B. Husar, Chemical and physical characteristics of wood smoke in the northeastern U.S. during July 2002: Impacts from Quebec forest fires, Paper # 94, A&WMA Specialty conference: Regional and Global Perspectives on Haze: Causes, Consequences and Controversies, Asheville, NC, October 25-29, 2004.

Prenni, A. J., P. J. DeMott, and S. M. Kreidenweis, Water uptake of internally mixed particles containing ammonium sulfate and dicarboxylic acids, *Atmos. Environ.*, 37, 4243-4251, 2003.

Quinn, P. K., D. J. Coffman, V. N. Kapustin, T. S. Bates, and D. S. Covert, Aerosol optical properties in the marine boundary layer during the First Aerosol Characterization Experiment (ACE 1) and the underlying chemical and physical aerosol properties, *J. Geophys. Res.*, 103(D13), 16547-16563, 1998.

Quinn, P. K., D. J. Coffman, T. S. Bates, T. L. Miller, J. E. Johnson, K. Voss, E. J. Welton, and C. Neususs, Dominant aerosol chemical components and their contribution to extinction during the Aerosols99 cruise across the Atlantic, *J. Geophys. Res.*, 106(D18), 20783-20809, 2001.

Quinn, P.K., T. L. Miller, T. S. Bates, J. A. Ogren, E. Andrews, and G. E. Shaw, A 3-year record of simultaneously measured aerosol chemical and optical properties at Barrow, Alaska, *J. Geophys. Res.*, 107(D11), 4130, 10:1029/2001JD001248, 2002a.

Quinn, P. K., D. J. Coffman, T. S. Bates, T. L. Miller, J. E. Johnson, E. J. Welton, C. Neususs, M. Miller, and P. J. Sheridan, Aerosol optical properties during INDOEX 1999: Means, variability, and controlling factors, *J. Geophys. Res.*, 107(D19), 8020, doi:10.1029/2000JD000037, 2002b.

Quinn, P. K., D. J. Coffman, T. S. Bates, E. J. Welton, D. S. Covert, T. L. Miller, J. E. Johnson, S. Maria, L. Russell, R. Arimoto, C. M. Carrico, M. J. Rood, and J. Anderson, Aerosol optical properties measured on board the *Ronald H. Brown* during ACE-Asia as a function of aerosol chemical composition and source region, *J. Geophys. Res.*, 109(D19S01), doi:10.1029/2003JD004010, 2004.

Rees, S. L., A. L. Robinson, A. Khlystov, C. O. Stanier, and S. N. Pandis, Mass balance closure and the Federal Reference Method for PM_{2.5} in Pittsburgh, Pennsylvania., *Atmos. Environ.*, 38, 3305-3318, 2004.

Russell, L. M., Aerosol organic-mass-to-organic-carbon ratio measurements, *Environ. Sci. Technol.*, 37, 2982-2987, 2003.

Santarpia, J. L., R. Li, and D. R. Collins, Direct measurement of the hydration state of ambient aerosol populations, *J. Geophys. Res.*, 109, D18209, doi:10.1029/2004.

Santarpia, J. L., R. Gasparini, R. Li, and D. R. Collins, Diurnal variations in the hygroscopic growth cycles of ambient aerosol populations, *J. Geophys. Res.*, 110, D03206, doi:10.1029/2004JD005279, 2005.

Saxena, P., L. M. Hildemann, P. H. McMurry, and J. H. Seinfeld, Organics alter hygroscopic behavior of atmospheric particles, *J. Geophys. Res.*, 100(D9), 18755-18770, 1995.

Schwab, J. J., H. D. Felton, and K. L. Demerjian, aerosol chemical composition in New York state from integrated filter samples: Urban/rural and seasonal contrasts, *J. Geophys. Res.*, 109(D16S05), doi:10.1029/2003JD004078, 2004.

Seinfeld, J. H. and S. N. Pandis, *Atmospheric Chemistry and Physics: From Air Pollution to Climate Change*, John Wiley, New York, pp 444, 1998.

Sheridan, P. J., D. J. Delene, and J. A. Ogren, Four years of continuous surface aerosol measurements from the Department of Energy's Atmospheric Radiation Measurement Program Southern Great Plains Cloud and Radiation Testbed site, *J. Geophys. Res.*, 106(D18), 20735-20747, 2001.

Siefert, R. L., A. M. Johansen, and M. R. Hoffman, Chemical characterization of ambient aerosol collected during the southwest monsoon and intermonsoon seasons over the Arabian Sea: Labile-Fe(II) and other trace metals, *J. Geophys. Res.*, 104(D3), 3511-3526, 1999.

Sisler, J. F. and W. C. Malm, The relative importance of soluble aerosols to spatial and seasonal trends of impaired visibility in the United States, *Atmos. Environ.*, 28(5), 851-862, 1994.

Sloane, C. S., Optical properties of aerosols- comparisons of measurements with model calculations, *Atmos. Environ.*, 17, 409-416, 1983.

Sloane, C. S., Effect of composition on aerosol light scattering efficiencies, *Atmos. Environ.*, 20(5), 1025-1037, 1986.

Sloane, C. S., J. Watson, J. Chow, L. Pritchett, L. W. Richards, Size segregated fine particle measurements by chemical species and their impact on the visibility impairment in Denver", Atmospheric Environment, 25A(5/6), 1013 - 1024, 1991 1991.

Subramanian, R., A. Y. Khlystov, J. C. Cabda, and A. L. Robinson, Evaluation of measurement methods, *Aerosol Sci. and Technol.*, 38(S1), 27-48, 2004.

Tang, I. N., and H. R. Munkelwitz, Water activities, densities, and refractive indices of aqueous sulfates and sodium nitrate droplets of atmospheric importance, *J. Geophys. Res.*, 99(D9), 18801-18808, 1994.

Tang, I. N., Chemical and size effects of hygroscopic aerosols on light scattering coefficients, *J. Geophys. Res.*, 101(D14), 19245-19250, 1996.

Tang, I. N., Thermodynamic and optical properties of mixed-salt aerosols of atmospheric importance, *J. Geophys. Res.*, 102(D2), 1883-1893, 1997.

Tanner, R. L., W. J. Parkhurst, M. L. Valente, and W. D. Phillips, Regional composition of PM_{2.5} aerosols measured at urban, rural, and “background” sites in the Tennessee valley, *Atmos. Environ.*, 38, 3143-3153, 2004.

Ten Brink, H. M., J. P. Veefkind, A. Waijers-Ijpelaan, and J. C. Van der Hage, Aerosol light scattering in the Netherlands, *Atmos. Environ.*, 30(24), 4251-4261, 1996.

Turpin, B. J., P. Saxena, G. Allen, P. Koutrakis, P. McMurry, and L. Hildemann, Characterization of the southwestern desert aerosol, Meadview, AZ, *J. Air & Waste Manage. Assoc.*, 47(3), 344-356, Mar 1997.

Turpin, B. J., P. Saxena, and E. Andrews, Measuring and simulating particulate organics in the atmosphere: problems and prospects, *Atmos. Environ.*, 34, 2983-3013, 2000.

Turpin, B. J., and H.-J. Lim, Species contributions to PM_{2.5} mass concentrations: Revisiting common assumptions for estimating organic mass, *Aerosol Sci. Technol.*, 35, 602-610, 2001.

VanCuren, R. A. and T. A. Cahill, Asian aerosols in North America: Frequency and concentration of fine dust, *J. Geophys. Res.*, 107(D24), 4804, doi:10.1029/2002JD002204, 2002.

VanCuren, R. A., Asian aerosols in North America: Extracting the chemical composition and mass concentration of the Asian continental aerosol plume from long-term aerosol records in the western United States, *J. Geophys. Res.*, 108(D20), 4623, doi:10.1029/2003JD003459, 2003.

Van de Hulst, H. G., *Light scattering by small particles*, New York: Dover, 1981.

Van Vaeck, L. and K. Van Cauwenbergh, Cascade impactor measurements of the size distribution of the major classes of organic pollutants in atmospheric particulate matter, *Atmos. Environ.*, 12, 2239, 1978.

Virkkula A., R. Van Dingenen, F. Raes, J. Hjorth, Hygroscopic properties of aerosol formed by oxidation of limonene, alpha-pinene, and beta-pinene, *J. Geophys. Res.*, 104, 3569-3579, 1999.

White, W. H. and P. T. Roberts, On the nature and origins of visibility-reducing aerosols in the Los Angeles Air Basin, *Atmos. Environ.*, 11, 803-812, 1977.

White, W. H., On the theoretical and empirical basis for apportioning extinction by aerosols: a critical review, *Atmos. Environ.*, 20, 1659-1672, 1986.

White, W. H., The components of atmospheric light extinction: A survey of ground-level budgets, *Atmos. Environ.*, 24A(10), 2673-2679, 1990.

White, W. H., Contributions to light extinction, In *National Acid Precipitation Assessment Program (NAPAP) Report 24 on visibility*, pp 24-85 – 24-102, 1991.

White, W. H., R. A. Eldred, P. J. Feeney, C. E. McDade, B. P. Perley, D. J. Shadoan, and P. H. Wakabayashi, Behavior of fine-particle elemental data near the detection limit, Paper # 24, A&WMA Specialty conference: Regional and Global Perspectives on Haze: Causes, Consequences and Controversies, Asheville, NC, October 25-29, 2004.

Xu, J., M. H. Bergin, X. Yu, G. Liu, J. Zhao, C. M. Carrico, and K. Baumann, Measurement of aerosol chemical, physical and radiative properties in the Yangtze delta region of China, *Atmos. Environ.*, 36, 161-173, 2002.

Yu, X.-Y., T. Lee, B. Ayres, S. M. Kreidenweis, W. C. Malm, and J. L. Collett, Jr., Particular nitrate measurement using nylon filters, *Submitted to Atmos. Environ.*, 2005a

Yu X.-Y., T. Lee, B. Ayres, S. M. Kreidenweis, W. C. Malm, and J. L. Collett, Jr., Negative bias of ammonium nitrate determination using nylon filters, *Submitted to Atmos. Environ.*, 2005b.

Zhang, X. Q., P. H. McMurry, S. V. Hering, and G. S. Casuccio, Mixing characteristics and water content of submicron aerosols measured in Los Angeles and at the Grand Canyon, *Atmos. Environ.*, 27A, 1593-1607, 1993.

Zhang, Q., M. R. Canagaratna, J. T. Jayne, D. R. Worsnop, and J.-L. Jimenez, Time- and size-resolved chemical composition of submicron particles in Pittsburgh: Implications for aerosol sources and processes, *J. Geophys. Res.*, 110, D07S09, doi:10.1029/2004JD004649, 2005.