

QUALITY ASSURANCE/QUALITY CONTROL DOCUMENTATION SERIES

TITLE COLLECTION OF SCENE MONITORING PHOTOGRAPHS, FILM, AND VIDEOTAPE

TYPE STANDARD OPERATING PROCEDURE

NUMBER 4305

DATE JANUARY 1994

AUTHORIZATIONS					
TITLE	NAME	SIGNATURE			
ORIGINATOR	Kristi Savig				
PROJECT MANAGER	James H. Wagner				
PROGRAM MANAGER	David L. Dietrich				
QA MANAGER	Gloria S. Mercer				
OTHER					

REVISION HISTORY					
REVISION NO.	ISION CHANGE IO. DESCRIPTION		AUTHORIZATIONS		
0.1	Delete references to operational timelines.	February 1996			
1.0	Change title/add SVHS video system references.	February 1999			

Number 4305 Revision 1.0 Date FEB 1999 Page i of i

TABLE OF CONTENTS

<u>Sect</u>	<u>ion</u>			Page	
1.0	PURI	PURPOSE AND APPLICABILITY			
2.0	RESI	RESPONSIBILITIES			
	2.1 2.2 2.3 2.4	Projec Data Data Site C	et Manager Coordinator Fechnician Operator	2 2 3 3	
3.0	REQUIRED EQUIPMENT AND MATERIALS			4	
	3.1 3.2 3.3	Required Equipment and Materials for 35 mm Slides Required Equipment and Materials for 8 mm Time-Lapse Film Required Equipment and Materials for Time-Lapse Videotape		4 m 4 be 5	
4.0	MET	HODS		5	
	4.1 4.2	Scene Collec Photo	Monitoring Station Configurations ction, Processing, and Handling of Scene Monitoring graphs, Film, and Videotape	5	
		4.2.1 4.2.2	Film and Videotape Collection Film and Videotape Processing	6 6	
			4.2.2.1 Film Processing4.2.2.2 Videotape Processing	6 7	
		4.2.3	Film and Videotape Handling	7	
			4.2.3.1 Handling of 35 mm Slide Film4.2.3.2 Handling of 8 mm Movie Film4.2.3.3 Handling of SVHS Time-Lapse Videotape	7 8 8	

Number 4305 Revision 1.0 Date FEB 1999 Page 1 of 8

1.0 PURPOSE AND APPLICABILITY

This standard operating procedure (SOP) outlines the quality assurance and quality control actions associated with the collection, processing, and handling of photographic and video monitoring data. This SOP serves as a guide to assure high quality data collection from automatic camera or video monitoring stations.

Documenting visibility or visual events and trends is an important aspect of evaluating existing or potential impairment in Class I and other visibility-sensitive areas. Photography is an efficient way to document these events and trends and is an effective method of communicating visual relationships to decision-makers and to the public. Self-contained, automatic camera monitoring systems or time-lapse video monitoring systems are easily installed and operated. Camera-based monitoring, referred to as scene monitoring, is an effective, economical component of any visibility monitoring program.

An automatic camera visibility monitoring station takes 35 mm slides of a selected vista at user-selected times throughout the day. The station can also be outfitted with an 8 mm time-lapse camera or an SVHS time-lapse recorder to document the dynamics of visibility events. Day-to-day variations in visual air quality captured on 35 mm color photographic slides, 8 mm color movie film, or SVHS videotape can be used to:

- Document how vistas appear under various visual air quality, meteorological, and seasonal conditions. Scene characteristics include observer visual range, scene contrast, color, texture, and clarity.
- Record the frequency that various visual air quality conditions occur (e.g., incidence of uniform haze, layered haze, or weather events).
- Provide a quality assurance reference for collocated measurements.
- Determine the visual sensitivity of individual areas or views to variations in ambient air quality.
- Identify areas of potential impairment.
- Estimate the optical properties of the atmosphere under certain conditions.
- Provide quality media for visually presenting program goals, objectives, and results to decision-makers and to the public.
- Provide support data for the computer image modeling of potential impairment.
- Support color and human perception research.

Slides, movie film, and videotape, however, do not provide quantitative information about the cause of visibility impairment. Aerosol and optical properties of the atmosphere must be independently monitored where cause and effect relationships are required.

In addition to visibility monitoring, time-lapse video systems can be used for a variety of other purposes, including:

- Environmental monitoring such as wildlife, waterflow, and source monitoring.
- Security monitoring for remote industrial sites and storage depots.
- Construction monitoring for building sites or highway and bridge construction.
- Event monitoring for remote weather documentation or highway and airport conditions.
- Recreation monitoring for ski areas and river rafting.

The following technical instructions (TIs) provide detailed information regarding specific photographic, film, and videotape collection, processing, and handling procedures:

TI 4305-4000 Collection, Processing, and Handling of 35 mm Slide Film
TI 4305-4003 Collection, Processing, and Handling of 8 mm Time-Lapse Movie Film
TI 4305-4050 Collection, Processing, and Handling of Time-Lapse Videotapes for the Healy Clean Coal Project

2.0 **RESPONSIBILITIES**

2.1 PROJECT MANAGER

The project manager shall oversee all collection, processing, and handling procedures.

2.2 DATA COORDINATOR

The data coordinator shall:

- Supply the site operator with film, videotape cassettes, and all necessary monitoring supplies.
- Verify that scheduled site visits are performed and notify the site operator if he/she fails to make a scheduled visit.
- Review all film and videotape documentation completed by the site operator for completeness and accuracy, and file all documentation and correspondence in the site-specific notebooks and quality assurance database.
- Oversee film and videotape tracking.
- Review all film and videotape for quantity and quality.
- Resolve problems reported by the site operator and data technician.

- Verify that all Master Log documentation for film is complete and accurate.
- Complete an Operational History Log for each videotape cassette.
- Determine collection and recovery statistics.
- Prepare all duplicate videotapes.

2.3 DATA TECHNICIAN

The data technician shall:

- Log receipt of all film rolls and videotapes mailed to Air Resource Specialists, Inc. (ARS) from site operators.
- Ship all exposed film to the Kodalux laboratory for developing.
- Log all developed film returned from Kodalux processing.
- Complete Master Log documentation for each film roll.
- Identify and chronologically label all 35 mm slides and 8 mm film rolls by site.
- Complete Visibility Monitoring Slide Logs.
- Report any noted documentation or data inconsistencies to the data coordinator.
- File all fully documented film products and videotapes.
- Distribute duplicate videotapes as specified to project participants.

2.4 SITE OPERATOR

The site operator shall:

- Report any noted inconsistencies upon site servicing and film or videotape changing to the data coordinator.
- Complete a Visibility Monitoring Status/Assessment Sheet and film canister/cartridge label for each film roll.
- Complete a Time-Lapse Visibility Monitoring Status/Assessment Sheet and videotape label for each videotape cassette.
- Mail exposed film or videotape and accompanying documentation to ARS.

Number 4305 Revision 1.0 Date FEB 1999 Page 4 of 8

3.0 REQUIRED EQUIPMENT AND MATERIALS

3.1 REQUIRED EQUIPMENT AND MATERIALS FOR 35 MM SLIDES

The following equipment and materials are used to collect, document, and validate 35 mm color slide film:

- Kodachrome 64 36-exposure color slide film
- Film canister labels
- Mailing envelopes
- Film processing mailers
- Automatic Camera Visibility Monitoring Status/Assessment Sheets
- Master Logs
- Visibility Monitoring Slide Logs
- Light table
- Hand-held viewing lens
- Alpha-numeric slide number stamps
- Polyethylene slide protector sheets
- Manila and hanging file folders
- 3-ring notebooks

3.2 REQUIRED EQUIPMENT AND MATERIALS FOR 8 MM TIME-LAPSE FILM

The following equipment and materials are used to collect, document, and validate 8 mm time-lapse movie film:

- Kodachrome Super-8 color movie film
- Film cartridge labels
- Mailing envelopes
- Film processing mailers
- Time-Lapse Camera Visibility Monitoring Status/Assessment Sheets
- Master Logs
- 8 mm movie projector
- 3-ring notebooks

Number 4305 Revision 1.0 Date FEB 1999 Page 5 of 8

3.3 REQUIRED EQUIPMENT AND MATERIALS FOR TIME-LAPSE VIDEOTAPE

The following equipment and materials are used to collect, document, and validate SVHS time-lapse videotape:

- SVHS videotape cassettes
- Videotape labels
- Mailing envelopes
- Time-Lapse Video Monitoring Status/Assessment Sheets
- Operational History Logs
- SVHS video cassette player
- Review monitor
- 3-ring notebooks

4.0 METHODS

This section includes the following two (2) subsections:

- 4.1 Scene Monitoring Station Configurations
- 4.2 Collection, Processing, and Handling of Scene Monitoring Photographs, Film, and Videotape

4.1 SCENE MONITORING STATION CONFIGURATIONS

Scene monitoring station configurations are configured based on:

- Monitoring location and monitored scenic vista or view of interest.
- Frequency that various visual air quality conditions or monitoring interests occur.
- Complexity of diurnal variations and observed visibility events.
- Collocated air quality monitoring instrumentation.
- Site-specific monitoring objectives.
- Proximity to AC power if an AC SVHS time-lapse system is used.

An automatic 35 mm camera system documents observed visual air quality at user selected times throughout the day. Photographic slides often provide a quality assurance reference for collocated visibility measurements. Slides are also a quality media that can be easily replicated or digitized to support computer image modeling and perception research.

Automatic 8 mm time-lapse camera systems or SVHS time-lapse recorders document the dynamics of ongoing air quality and meteorological related events or other events.

4.2 COLLECTION, PROCESSING, AND HANDLING OF SCENE MONITORING PHOTOGRAPHS, FILM, AND VIDEOTAPE

Major steps in the data collection, processing, and handling of scene monitoring data are described below. Specific step-by-step procedures for 35 mm slides are detailed in TI 4305-4000, *Collection, Processing, and Handling of 35 mm Slide Film.* Specific procedures for 8 mm movie film are detailed in TI 4305-4003, *Collection, Processing, and Handling of 8 mm Time-Lapse Movie Film*, and procedures for time-lapse videotape are detailed in TI 4305-4050, *Collection, Processing, and Handling of Time-Lapse Videotapes for the Healy Clean Coal Project.*

4.2.1 Film and Videotape Collection

All 35 mm or 8 mm film (from a single emulsion number) is purchased from a Kodalux direct distributor to cover two (2) consecutive monitoring seasons. High quality videotapes are purchased in bulk quantities. Film and videotapes are shipped to sites with specific handling and storage instructions, and supplemental monitoring supplies.

The site operator completes a film canister/cartridge label or videotape label and attaches it to each new film roll or videotape upon loading into the camera or time-lapse recorder. When the operator returns to remove the film or videotape, he or she completes the information on the label, places the film or videotape in a padded envelope, and mails it along with a Visibility (or Video) Monitoring Status/Assessment Sheet to ARS.

4.2.2 Film and Videotape Processing

4.2.2.1 Film Processing

Processing procedures for 35 mm and 8 mm film are nearly identical. Film that arrives from the field is immediately recorded on a site-specific Master Log according to the roll number and the time period the film documents. The following items are maintained on each Master Log:

- Site name
- Site operator
- Roll numbers
- Mailer numbers
- Emulsion number
- Dates when film rolls were sent to Kodalux processing and dates returned
- Beginning and ending dates and times of the photographs contained on the film roll
- Slide numbers
- Recovery statistics
- Correspondence

Number 4305 Revision 1.0 Date FEB 1999 Page 7 of 8

- Problem history
- Equipment changes
- Supplies mailed

The Visibility Monitoring Status/Assessment Sheet is thoroughly reviewed to verify proper camera operations and note any weather anomalies or requested operational supplies. Any discrepancies are documented by site and roll number on the Master Log and corrective action is initiated. Any requested monitoring supplies or equipment components are shipped.

All film is sent by courier to the Kodalux processing laboratory in Dallas. Roll and film processing mailer numbers are documented on the Master Log. All shipments are tracked and traced if necessary by mailer number.

4.2.2.2 Videotape Processing

SVHS videotape cassettes that arrive from the field are immediately recorded on an Operational History Log. The following items are maintained on each log:

- Site name
- Site operator
- Videotape number
- Date when the videotapes were received at ARS
- Comments or correspondence
- Monitoring period dates documented on each videotape
- Recovery statistics
- Videotape review status
- Delivery status of duplicate videotapes made

4.2.3 Film and Videotape Handling

Receipt of the developed 35 mm or 8 mm film from Kodalux is recorded on the site Master Log. Film rolls are stored chronologically in a pollutant-free, controlled environment.

4.2.3.1 Handling of 35 mm Slide Film

Extraneous 35 mm slides (if any) are removed and documentation and target photographs are arranged in polyethylene protector sheets by date and time. Following verification of slide arrangement, each slide is numbered sequentially and stamped with a four-letter site code. The slide set is placed in a manila folder along with a completed Visibility Monitoring Slide Log and the associated Visibility Monitoring Status/Assessment Sheet.

Slides are reviewed to verify that the vista alignment is correct, the databack date and time is recorded on the film, the slides are arranged in proper order, and that no exposure inconsistencies exist. Any discrepancies are documented by site and roll number on the Master Log and corrective action is initiated.

When all slides are collected for the monitoring season, final collection and recovery statistics are determined. Final Master Logs are stored in 3-ring notebooks.

4.2.3.2 Handling of 8 mm Movie Film

Movie film is reviewed for camera and system component operation, exposure quality, frame alignment and focus, exposure timing (including on/off times and exposure interval), film processing problems, the detection of unusual visual events or anomalies, and dirty or obscured shelter windows. Any problems or discrepancies observed are documented by site and roll number on the Master Log and corrective action is initiated.

Labeled film rolls are placed chronologically in site-specific storage boxes within storage cabinets. Final collection statistics are determined and recorded on the Master Logs. All supporting documentation including the Master Logs, Visibility Monitoring Status/Assessment Sheets, and other notes or important observations are kept in 3-ring notebooks by site, and filed alongside the film rolls.

4.2.3.3 Handling of SVHS Time-Lapse Videotapes

Videotape cassettes are reviewed for camera and system component operation, exposure quality, frame alignment and focus, timing, the detection of unusual visual events or anomalies, and dirty or obscured shelter windows. Any problems or discrepancies observed are documented by site and videotape number on the Operational History Log and corrective action is initiated.

Labeled videotape cassettes are placed chronologically in site-specific storage boxes within storage cabinets. Final collection statistics are determined and recorded on the Operational History Logs. All supporting documentation including the Operational History Logs, Time-Lapse Video Monitoring Status/Assessment Sheets, and other notes or important observations are kept in 3-ring notebooks by site, and filed alongside the videotapes.